

ORDER FOR SUPPLIES OR SERVICES										Page 1 Of 14	
1. Contract/Purch Order/Agreement No. DAAE20-02-P-0393			2. Delivery Order/Call No.		3. Date Of Order/Call (YYYYMMDD) 2002JUN13		4. Requisition/Purch Request No. SEE SCHEDULE			5. Priority DOA5	
6. Issued By TACOM-ROCK ISLAND AMSTA-LC-CFA-C NANCY OAKES (309)782-7168 ROCK ISLAND IL 61299-7630 EMAIL: OAKESN@RIA.ARMY.MIL				Code W52H09	7. Administered By (If other than 6) DCMA ST LOUIS 1222 SPRUCE ST ST LOUIS MO 63103-2812				Code S2605A	8. Delivery FOB <input type="checkbox"/> Destination <input checked="" type="checkbox"/> Other (See Schedule if other)	
9. Contractor SEILER INSTRUMENT AND MFG CO INC 170 E KIRKHAM AVE ST LOUIS MO 63119-1766 Name and Address TYPE BUSINESS: Other Small Business Performing in U.S.			Code 11934	Facility	10. Deliver To FOB Point By (Date) (YYYYMMDD) SEE SCHEDULE			11. X If Business Is <input checked="" type="checkbox"/> Small <input type="checkbox"/> Small Disadvantaged <input type="checkbox"/> Woman-Owned			
					12. Discount Terms NET 30 DAYS			13. Mail Invoices To the Address in Block See Block 15			
14. Ship To SEE SCHEDULE			Code	15. Payment Will Be Made By DFAS COLUMBUS CENTER WEST ENTITLEMENT OPERATIONS PO BOX 182381 COLUMBUS OH 43218-2381			Code HQ0339	Mark all Packages and Papers with Identification Numbers in Blocks 1 and 2			
16. Type of Order	Delivery/Call	This delivery order is issued on another Government agency or in accordance with and subject to terms and conditions of above numbered contract.									
	Purchase	Reference your <input type="checkbox"/> Oral; <input type="checkbox"/> Written Quotation, Dated _____, furnish the following on terms specified herein.									
	X	Acceptance. The Contractor Hereby Accepts The Offer Represented By The Numbered Purchase Order As It May Previously Have Been Or Is Now Modified, Subject To All Of The Terms And Conditions Set Forth, And Agrees To Perform The Same.									
Name Of Contractor			Signature			Typed Name And Title			Date Signed (YYYYMMDD)		
<input type="checkbox"/> If this box is marked, supplier must sign Acceptance and return the following number of copies:											
17. ACCOUNTING AND APPROPRIATION DATA/LOCAL USE SEE SCHEDULE											
18. Item No.	19. Schedule Of Supplies/Service SEE SCHEDULE CONTRACT TYPE: Firm-Fixed-Price			20. Quantity Ordered/Accepted*	21. Unit	22. Unit Price	23. Amount				
	KIND OF CONTRACT: Service Contracts										
* If quantity accepted by the Government is same as quantity ordered, indicate by X. If different, enter actual quantity accepted below quantity ordered and encircle.				24. United States Of America By: VICKI AHLGRIM /SIGNED/ AHLGRIMV@RIA.ARMY.MIL (309)782-3220				25. Total	\$33,000.00		
26. Quantity In Column 20 Has Been				27. Ship. No.				28. D.O. Voucher No.		29. Differences	
<input type="checkbox"/> Inspected <input type="checkbox"/> Received <input type="checkbox"/> Accepted And Conforms To Contract Except As Noted				<input type="checkbox"/> Partial <input type="checkbox"/> Final				32. Paid By		33. Amount Verified Correct For	
Date _____ Signature Of Authorized Govt Representative _____				31. Payment <input type="checkbox"/> Complete <input type="checkbox"/> Partial <input type="checkbox"/> Final						34. Check Number	
36. I certify this account is correct and proper for payment										35. Bill Of Lading No.	
Date _____ Signature And Title Of Certifying Officer _____											
37. Received At		38. Received By		39. Date Received		40. Total Containers		41. S/R Account Number		42. S/R Voucher No.	

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE20-02-P-0393 MOD/AMD	Page 2 of 14
Name of Offeror or Contractor: SEILER INSTRUMENT AND MFG CO INC		

SUPPLEMENTAL INFORMATION

For Local Clauses See: <https://aais.ria.army.mil>

Regulatory Cite	Title	Date
1 HQ, DA	NOTICE TO OFFERORS - USE OF CLASS I OZONE-DEPLETING SUBSTANCES	JUL/1993
(a) In accordance with Section 326 of P.L. 102-484, the Government is prohibited from awarding any contract which includes a specification or standard that requires the use of a Class I ozone-depleting substance (ODS) identified in Section 602(a) of the Clean Air Act, 42 U.S.C. 7671a(a), or that can be met only through the use of such a substance unless such use has been approved, on an individual basis, by a senior acquisition official who determines that there is no suitable substitute available.		
(b) To comply with this statute, the Government has conducted a best efforts screening of the specifications and standards associated with this acquisition to determine whether they contain any ODS requirements. To the extent that ODS requirements were revealed by this review they are identified in Section C with the disposition determined in each case.		
(c) If offerors possess any special knowledge about any other ODSs required directly or indirectly at any level of contract performance, the U.S. Army would appreciate if such information was surfaced to the Contracting Officer for appropriate action. To preclude delay to the procurement, offerors should provide any information in accordance with FAR 52.214-6 or 52.215-14 as soon as possible after release of the solicitation and prior to the submission of offers to the extent practicable. It should be understood that there is no obligation on offerors to comply with this request and that no compensation can be provided for doing so.		
(AA7020)		
2 52.201-4501 TACOM-RI	NOTICE ABOUT TACOM-RI OMBUDSMAN	APR/2002
a. We have an Ombudsman Office here at TACOM-RI. Its purpose is to open another channel of communication with TACOM-RI contractors.		
b. If you think that this solicitation:		
1. has inappropriate requirements; or		
2. needs streamlining; or		
3. should be changed		
you should first contact the buyer or the Procurement Contracting Officer (PCO).		
c. The buyer's name, phone number and address are on the cover page of this solicitation.		
d. If the buyer or PCO doesn't respond to the problem to your satisfaction, or if you want to make comments anonymously, you can contact the Ombudsman Office. The address and phone number are:		
U.S. Army TACOM-RI AMSTA-AQ-AR (OMBUDSMAN) Rock Island IL 61299-7630 Phone: (309) 782-3224 Electronic Mail Address: ombudsman@ria.army.mil		
e. If you contact the Ombudsman, please provide him with the following information:		
(1) TACOM-RI solicitation number;		
(2) Name of PCO;		
(3) Problem description;		
(4) Summary of your discussions with the buyer/PCO.		
(End of clause)		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE20-02-P-0393 MOD/AMD	Page 3 of 14
Name of Offeror or Contractor: SEILER INSTRUMENT AND MFG CO INC		

(AS7006)

3 52.210-4516 COMMERCIAL EQUIVALENT ITEM(S) JUN/1998
TACOM-RI

THE GOVERNMENT HAS A PREFERENCE TO SATISFY ITS NEEDS THROUGH THE ACQUISITION OF COMMERCIAL ITEMS. IF YOU KNOW OF ANY COMMERCIAL EQUIVALENT ITEM(S) FOR THOSE LISTED IN THIS SOLICITATION, PLEASE CONTACT THE CONTRACTING OFFICE. INFORMATION PROVIDED WILL BE CONSIDERED FOR FUTURE PROCUREMENTS.

(END OF CLAUSE)

(AS7003)

4 52.215-4503 NOTICE TO OFFERORS - ELECTRONIC BID/OFFER RESPONSE REQUIRED FEB/2002
TACOM-RI

1. In accordance with Management Reform Memorandum (MRM) #2 from the Department of Defense (DoD), all Services are required to eliminate paper from their acquisition process by January 1, 2000 (see information at <http://www.acq.osd.mil/pcipt/>).

2. In response to this mandates, TACOM-RI has established the capability to receive bids, proposals, and quotes electronically. A hotlink from the TACOM-RI Solicitation Page has been activated to fully automate the response process (see <http://aais.ria.army.mil/aais/SOLINFO/index.htm>).

3. IMPORTANT: Bids/proposals/quotes in response to this solicitation are REQUIRED to be submitted in electronic format. Hard copy bids/offers/quotes WILL NOT BE ACCEPTED.

4. Your attention is drawn to the following clauses in Section L of this solicitation for instructions and additional information:

LS7011, Electronic Bids/Offers - TACOM-RI
(TACOM-RI 52.215-4510)

LS7013, Electronic Award Notice - TACOM-RI
(TACOM-RI 52.215-4511)

(End of clause)

(AS7004)

5 52.233-4503 AMC-LEVEL PROTEST PROGRAM JUN/1998
TACOM-RI

(OCTOBER 1996)

If you have complaints about this procurement, it is preferable that you first attempt to resolve those concerns with the responsible contracting officer. However, you can also protest to Headquarters, AMC. The HQ, AMC-Level Protest Program is intended to encourage interested parties to seek resolution of their concerns within AMC as an Alternative Dispute Resolution forum, rather than filing a protest with General Accounting Office or other external forum. Contract award or performance is suspended during the protest to the same extent, and within the same time periods, as if filed at the GAO. The AMC protest decision goal is to resolve protests within 20 working days from filing. To be timely, protests must be filed within the periods specified in FAR 33.103. Send protests (other than protests to the contracting officer) to:

HQ Army Materiel Command
Office of Command Counsel
ATTN: AMCCC-PL
5001 Eisenhower Avenue
Alexandria, VA 22333-0001

Facsimile number (703) 617-4999/5680

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE20-02-P-0393 MOD/AMD	Page 4 of 14
Name of Offeror or Contractor: SEILER INSTRUMENT AND MFG CO INC		

Voice Number (703) 617-8176

The AMC-level protest procedures are found at:

<http://www.amc.army.mil/amc/cc/protest.html>

If Internet access is not available contact the contracting officer or HQ, AMC to obtain the AMC-Level Protest Procedures.

(END OF CLAUSE)

(AS7010)

6 52.246-4538 CONTRACTOR PERFORMANCE CERTIFICATION PROGRAM (CP) 2 JUN/1998
TACOM-RI
THE U.S. ARMY TANK-AUTOMOTIVE AND ARMAMENTS COMMAND (TACOM) ROCK ISLAND (RI) ACTIVELY PARTICIPATES IN THE CONTRACTOR PERFORMANCE CERTIFICATION PROGRAM (CP)2.

THE (CP)2 CERTIFICATION PROCESS IDENTIFIES CONTRACTORS COMMITTED TO TOTAL QUALITY, CUSTOMER SATISFACTION, AND CONTINUOUS IMPROVEMENT OF THEIR DESIGN/DEVELOPMENT AND PRODUCTION PROCESSES. ANY CONTRACTORS WHO HAVE HAD OR ANTICIPATE HAVING CONTRACTS WITH ANY AMC MAJOR SUBORDINATE COMMAND MAY VOLUNTARILY PARTICIPATE.

ADDITIONAL INFORMATION CAN BE OBTAINED BY CONTACTING THE CONTRACT SPECIALIST, OR THE (CP)2 PARTNERSHIP TEAM AT (309) 782-6591.

(END OF CLAUSE)

(AS7502)

1. AWARD IS MADE ON THE BASIS OF FOB DESTINATION FOR THE REPAIR OF M138 ELBOW TELESCOPE AND MOUNT TELESCOPE IN ACCORADANCE WITH THE ATTACHED SCOPE OF WORK (ATTACHMENT 001).
2. CONTRACTORS QUOTE NO. 32558 DATE 8 APR 02 AND EMAIL DATED 31 MAY 02 CONFIRMING THAT THE PRICES ARE STILL VALID ARE INCLUDED AS ATTACHMENTS 002 AND 003.

*** END OF NARRATIVE A 001 ***

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE20-02-P-0393 MOD/AMD	Page 5 of 14
--------------------	---	--------------

Name of Offeror or Contractor: SEILER INSTRUMENT AND MFG CO INC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0001	<p>SUPPLIES OR SERVICES AND PRICES/COSTS</p> <p><u>Supplies or Services and Prices/Costs</u></p> <p><u>SERVICES LINE ITEM</u></p> <p>NOUN: REPAIR FOR MOUNT TELESC SECURITY CLASS: Unclassified PRON: M122R151M1 PRON AMD: 01 ACRN: AA AMS CD: 060011 NOUN: MOUNT TELESCOPE NSN: 1240-00-150-8890 P/N: 10553215</p> <p>6 EACH X \$1500.00 = \$9,000.00</p> <p>(End of narrative B001)</p> <p><u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin</p> <p><u>Deliveries or Performance</u> DLVR SCH PERF COMPL <u>REL CD</u> <u>QUANTITY</u> <u>DATE</u> 001 0 20-DEC-2002</p> <p>\$ 9,000.00</p>		EA		\$ 9,000.00
0002	<p><u>Supplies or Services and Prices/Costs</u></p> <p><u>SERVICES LINE ITEM</u></p> <p>NOUN: REPAIR FOR M138 ELBOW TELESC SECURITY CLASS: Unclassified PRON: M122R152M1 PRON AMD: 01 ACRN: AA AMS CD: 060011 NOUN: M138 ELBOW TELESCOPE NSN: 1240-01-038-0530 P/N: 11741626</p> <p>30 EACH X \$800.00 = \$24,000.00</p> <p>(End of narrative B001)</p> <p><u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin</p> <p><u>Deliveries or Performance</u> DLVR SCH PERF COMPL <u>REL CD</u> <u>QUANTITY</u> <u>DATE</u> 001 0 20-DEC-2002</p> <p>\$ 24,000.00</p>		EA		\$ 24,000.00

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE20-02-P-0393 MOD/AMD	Page 6 of 14
Name of Offeror or Contractor: SEILER INSTRUMENT AND MFG CO INC		

DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

For Local Clauses See: <https://aais.ria.army.mil>

7	52.210-4501 TACOM-RI	DRAWINGS/SPECIFICATION	MAR/1988
---	-------------------------	------------------------	----------

In addition to the drawing(s) and/or specifications listed below, other documents which are part of this procurement and which apply to Preservation/Packaging/Packing and Inspection and Acceptance are contained elsewhere.

The following drawing(s) and specifications are applicable to this procurement.

Drawings and Specifications in accordance with enclosed Technical Data Package Listing - TDPL with revisions in effect as of (except as follows):

SEE ATTACHMENT 001 SCOPE OF WORK

(CS6100)

8	52.210-4515 TACOM-RI	RADIOACTIVE WIPE TEST PROCEDURE (STATEMENT OF WORK)	JUL/2000
---	-------------------------	---	----------

1. Scope. This Statement of Work describes the procedures used to perform a wipe test on radioactive devices. The wipe test is conducted on devices containing Hydrogen-3 (Tritium), Nickel-63, and Americium-241. The Wipe Test is intended to verify that devices containing radioactive material do not impose a threat to the environment or to an individual's health. The removable activity shall not exceed 1,000 desintegrations per minute (DPM).

2. Applicable Documents for Hydrogen-3 (Tritium) & Nickel-63.

ANSI N42.9-1972

Standard Test Procedures for Photomultipliers for Scintillation Counting and Glossary for Scintillation Counting Field

ANSI N42.15-1980

American National Standard Performance Verification of Liquid Scintillation Counting System

ANSI N42.16-1986

American National Standard Specifications for Sealed Radioactive Check Sources Used in Liquid Scintillation Counters

3. Requirements.

3.1 When conducting wipe testing for Hydrogen-3 (Tritium) and Nickel-63, the suitable filter for liquid scintillation (LS) is a cellulose nitrate filter which dissolves or becomes transparent when mixed with LS fluid. Use only one type of filter and ensure that the liquid scintillation counter is calibrated using the same type of filter for background as is used to take all the nickel and tritium wipes. Dampen the filter (with distilled water) prior to wiping the device. The suitable filter paper for Americium-241 (Am-241) is a pressure-sensitive smear.

3.2 Using moderate finger pressure, wipe the radioactive surface (not to exceed a 4 by 4 inch square) of the device with filter paper.

3.2a For tritium devices, the radioactive surface is the external area adjacent to the source(s).

3.2b When performing this procedure on the Chemical Agent Monitor (CAM) (Nickel-63), the area to be wiped is the exterior surface of the CAM around the protective cap of the nozzle.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE20-02-P-0393 MOD/AMD	Page 7 of 14
Name of Offeror or Contractor: SEILER INSTRUMENT AND MFG CO INC		

3.2c For the M43A1 Chemical Agent Detector (Americium-241), separate the top case assembly from the bottom case assembly. There are two areas which shall be wiped with a single wipe - the exposed area of the cell module and the area around the exit port.

3.3 Place wiped filter papers for Hydrogen-3 (Tritium) & Nickel-63 items in scintillation counter vials with 1 ml of distilled water. For Am-241 wipes place each filter into a sealable plastic bag. Assure the bags or vials are identified and traceable to the item tested.

3.4 Prepare the wipe for analysis according to the filter used. These analysis procedures shall be operated in accordance with the manufacturer's recommendations.

3.4a Wipe analysis for Hydrogen-3 (Tritium) & Nickel-63 items shall be analyzed on a liquid scintillation counter. Operate the liquid scintillation counter in accordance with the documents cited in paragraph 2 above.

3.4b Wipe analysis for the M43A1 Chemical Agent Detector shall be analyzed by a gas flow proportional counting system or equivalent alpha detection instrumentation. The gas flow proportional counting system used to evaluate wipe tests shall be calibrated by an alpha reference source traceable to the National Institute of Standards & Technology at least every three months, and checked by an alpha reference source prior to each day's operational.

3.5 Test results including a record of the amount of activity of each sample and verification of performance of the liquid scintillation counting system for Hydrogen-3 (Tritium) and Nickel-63 items are to be provided as specified in the Data Item Description (DID).Results of instrument calibration, required in paragraph 3.4b above for flow proportional counting (Americium-241), will be submitted to the government.

(End of Statement of Work)

(CS7107)

9	52.248-4502	CONFIGURATION MANAGEMENT DOCUMENTATION	JUL/2001
	TACOM RI		

The contractor may submit Engineering Change Proposals (ECPs), Value Engineering Change Proposals (VECPs), (Code V shall be assigned to an engineering change that will effect a net life cycle cost), including Notice of Revisions (NORs) and Request for Deviations (RFDs), for the documents in the Technical Data Package (TDP). The contractor shall prepare these documents in accordance with the Data Item Descriptions cited in block 04 on the enclosed DD Form 1423, Contract Data Requirements List.

Contractor ECPs/VECPs shall describe and justify all proposed changes and shall include NORs completely defining the change to be made. Contractors may also submit RFDs, which define a temporary departure from the Technical Data Package or other baseline documentation under Government control. The contractor shall not deliver any units incorporating any change/deviation to Government documentation until notified by the Government that the change/deviation has been approved and the change/deviation has been incorporated in the contract.

If the Government receives the same or substantially the same VECPs from two or more contractors, the contracts whose VECP is received first will be entitled to share with the Government in all instant, concurrent, future, and collateral savings under the terms of the VE clause in the contract.

Duplicate VECPs, which are received subsequently, will be returned to the contractor(s) without formal evaluation, regardless of whether or not the first VECP has been approved and accepted by the Government.

(End of Clause)

(CS7110)

INSPECTION AND ACCEPTANCE

For Local Clauses See: <https://aais.ria.army.mil>
This document incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at these addresses:
<http://www.arnet.gov/far/> or www.acq.osd.mil/dp/dars

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE20-02-P-0393 MOD/AMD	Page 8 of 14
---------------------------	--	----------------------------

Name of Offeror or Contractor: SEILER INSTRUMENT AND MFG CO INC

If the clause requires additional or unique information, then that information is provided immediately after the clause title.

(EA7001)

10	52.246-15	CERTIFICATE OF CONFORMANCE	APR/1984
----	-----------	----------------------------	----------

DELIVERIES OR PERFORMANCE

For Local Clauses See: <https://aais.ria.army.mil>
This document incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at these addresses:
<http://www.arnet.gov/far/> or www.acq.osd.mil/dp/dars

If the clause requires additional or unique information, then that information is provided immediately after the clause title.

(FA7001)

11	52.247-34	F.O.B. DESTINATION	NOV/1991
12	52.247-48	F.O.B. DESTINATION - EVIDENCE OF SHIPMENT	FEB/1999
13	52.247-4531 TACOM-RI	COGNIZANT TRANSPORTATION OFFICER	MAY/1993

- (a) The contract administration office designated at the time of contract award, or the office servicing the point of shipment if subsequently designated by the original office, will be the contact point to which the contractor will:
- (1) Submit, as necessary, DD Form 1659, Application for U.S. Government Bill(s) of Lading/Export Traffic Release, in triplicate at least ten days prior to date supplies will be available for shipment;
 - (2) Obtain shipping instructions as necessary for F.O.B. Destination delivery; and
 - (3) Furnish necessary information for MILSTRIP/MILSTAMP or other shipment documentation and movement control, including air and water terminal clearances.
 - (4) For FMS, at least 10 days in advance of actual shipping date the contractor should request verification of ''Ship to'' and ''Notification'' address from the appropriate DCMAO.
- (b) The contract administration office will provide to the contractor data necessary for shipment marking and freight routing.
- (c) The contractor shall not ship directly to a Military air or water port terminal without authorization by the designated point of contact.

(End of Clause)

(FS7240)

SERVICE						ACCOUNTING	OBLIGATED
<u>NAME</u>	<u>TOTAL BY ACRN</u>	<u>ACCOUNTING CLASSIFICATION</u>				<u>STATION</u>	<u>AMOUNT</u>
Army	AA	97	X4930AC9G	6D	252G S11116	W52H09	\$ 33,000.00
						TOTAL	\$ 33,000.00

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE20-02-P-0393 MOD/AMD	Page 10 of 14
Name of Offeror or Contractor: SEILER INSTRUMENT AND MFG CO INC		

SPECIAL CONTRACT REQUIREMENTS

For Local Clauses See: <https://aais.ria.army.mil>

This document incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at these addresses:

<http://www.arnet.gov/far/> or www.acq.osd.mil/dp/dars

If the clause requires additional or unique information, then that information is provided immediately after the clause title.

(HA7001)

- 14

252.247-7023

TRANSPORTATION OF SUPPLIES BY SEA - ALTERNATE III

MAY/2002
- DFARS
- 15

52.223-3

HAZARDOUS MATERIAL IDENTIFICATION AND MATERIAL SAFETY DATA

JAN/1997
- (a) ''Hazardous material,'' as used in this clause, includes any material defined as hazardous under the latest version of Federal Standard No. 313 (including revisions adopted during the term of the contract).

(b) The offeror must list any hazardous material, as defined in paragraph (a) of this clause, to be delivered under this contract. The hazardous material shall be properly identified and include any applicable identification number, such as National Stock Number or Special Item Number. This information shall also be included on the Material Safety Data Sheet submitted under this contract.

Material (If none, insert NONE)

Identification No.

- (c) This list must be updated during performance of the contract whenever the Contractor determines that any other material to be delivered under this contract is hazardous.
- (d) The apparently successful offeror agrees to submit, for each item as required prior to award, a Material Safety Data Sheet, meeting the requirements of 29 CFR 1910.1200(g) and the latest version of Federal Standard No. 313, for all hazardous material identified in paragraph (b) of this clause. Data shall be submitted in accordance with Federal Standard No. 313, whether or not the apparently successful offeror is the actual manufacturer of these items. Failure to submit the Material Safety Data Sheet prior to award may result in the apparently successful offeror being considered nonresponsible and ineligible for award.

(e) If, after award, there is a change in the composition of the item(s) or a revision to Federal Standard No. 313, which renders incomplete or inaccurate the data submitted under paragraph (d) of this clause, the Contractor shall promptly notify the contracting Officer and resubmit the data.

(f) Neither the requirements of this clause nor any act or failure to act by the Government shall relieve the Contractor of any responsibility or liability for the safety of Government, Contractor, or subcontractor personnel or property.

(g) Nothing contained in this clause shall relieve the Contractor from complying with applicable Federal, State, and local laws, codes, ordinances, and regulations (including the obtaining of licenses and permits) in connection with hazardous material.

- (h) The Government's rights in data furnished under this contract with respect to hazardous material are as follows:
- (1) To use, duplicate and disclose any data to which this clause is applicable. The purposes of this right are to --

(i) Apprise personnel of the hazards to which they may be exposed in using, handling, packaging, transporting, or disposing of hazardous materials;

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE20-02-P-0393 MOD/AMD	Page 11 of 14
Name of Offeror or Contractor: SEILER INSTRUMENT AND MFG CO INC		

(ii) Obtain medical treatment for those affected by the material; and

(iii) Have others use, duplicate, and disclose the data for the Government for these purposes.

(2) To use, duplicate, and disclose data furnished under this clause, in accordance with subparagraph (h)(1) of this clause, in precedence over any other clause of this contract providing for rights in data.

(3) The Government is not precluded from using similar or identical data acquired from other sources.

NOTE: The Contractor shall prepare and submit a Material Safety Data Sheet (MSDS) in accordance with this clause to each of the following addresses:

U.S. Army Tank-automotive and Armaments Command, Rock Island
ATTN: AMSTA-LC-RS
Rock Island, IL 61299-7630

Commander
U.S. Army Operations Support Command (OSC)
ATTN: AMSOS-RST
Rock Island, IL 61299-6000

U.S. Army Tank-automotive and Armaments Command, Rock Island
ATTN: AMSTA-LC-CFA-C/NANCY OAKES
Rock Island, IL 61299-7630

ARDEC, Rock Island
ATTN: AMSTA-AR-WET-RP
Rock Island, IL 61299-7300

(End of Clause)

(HF6013)

16 52.246-4500 MATERIAL INSPECTION & RECEIVING REPORTS (DD FORM 250) NOV/2001
TACOM-RI

(a) Material Inspection and Receiving Report(s) (DD Form 250), are required to be prepared and furnished to the Government under the clause of this contract entitled 'Material Inspection and Receiving Report'. Distribution of reports to the Purchasing Office (in accordance with DoD FAR Supplement Appendix F) shall be accomplished electronically.

(b) Two copies of the DD Form 250 are required to be submitted to the Purchasing Office. To satisfy this submission requirement electronically, the completed documents may be transmitted via electronic mail, or data fax. The electronic mail address for submission is oakesn@ria.army.mil. The data fax number for submission is (309)782-1616, ATTN: AMSTA-LC-CFA-C/Nancy Oakes.

(c) Any additional copies required in accordance with Appendix F may be submitted to the addresses identified below via the U. S. Postal Service:

(1) The FMS/MAP copies may be submitted to:

(End of Clause)

(HS6510)

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE20-02-P-0393 MOD/AMD	Page 12 of 14
--------------------	---	---------------

Name of Offeror or Contractor: SEILER INSTRUMENT AND MFG CO INC

17	52.247-4545 TACOM-RI	PLACE OF CONTRACT SHIPPING POINT, RAIL INFORMATION	MAY/1993
----	-------------------------	--	----------

The bidder/offeror is to fill in the 'Shipped From' address, if different from 'Place of Performance' indicated elsewhere in this section.

Shipped From:

For contracts involving F.O.B. Origin shipments furnish the following rail information:

Does Shipping Point have a private railroad siding? ____ YES ____ NO

If YES, give name of rail carrier serving it: _____

If NO, give name and address of nearest rail freight station and carrier serving it:

Rail Freight Station Name and Address: _____

Serving Carrier: _____

(End of Clause)

(HS7600)

CONTRACT CLAUSES

For Local Clauses See: <https://aais.ria.army.mil>

This document incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at these addresses:

<http://www.arnet.gov/far/> or www.acq.osd.mil/dp/dars

If the clause requires additional or unique information, then that information is provided immediately after the clause title.

(IA7001)

18	52.211-15	DEFENSE PRIORITY AND ALLOCATION REQUIREMENTS	SEP/1990
19	52.222-21	PROHIBITION OF SEGREGATED FACILITIES	FEB/1999
20	52.232-33	PAYMENT BY ELECTRONIC FUNDS TRANSFER - CENTRAL CONTRACTOR REGISTRATION	MAY/1999
21	52.249-4	TERMINATION FOR CONVENIENCE OF THE GOVERNMENT (SERVICES)(SHORT FORM)	APR/1984
22	252.204-7003 DFARS	CONTROL OF GOVERNMENT PERSONNEL WORK PRODUCT	APR/1992
23	252.225-7009 DFARS	DUTY-FREE ENTRY--QUALIFYING COUNTRY SUPPLIES (END PRODUCTS AND COMPONENTS)	AUG/2000
24	252.231-7000 DFARS	SUPPLEMENTAL COST PRINCIPLES	DEC/1991
25	252.242-7000 DFARS	POSTAWARD CONFERENCE	DEC/1991
26	252.243-7001 DFARS	PRICING OF CONTRACT MODIFICATIONS	DEC/1991

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE20-02-P-0393 MOD/AMD	Page 13 of 14
--------------------	---	---------------

Name of Offeror or Contractor: SEILER INSTRUMENT AND MFG CO INC

27 52.213-4 TERMS AND CONDITIONS - SIMPLIFIED ACQUISITIONS (OTHER THAN COMMERCIAL MAY/2002
ITEMS)

Paragraph (b)(1)(viii) is deleted from this clause.

Information to be inserted in Paragraph (c):

<http://www.arnet.gov/far/>

or

www.acq.osd.mil/dp/dars

(IF8001)

28 52.215-8 ORDER OF PRECEDENCE - UNIFORM CONTRACT FORMAT OCT/1997

Any inconsistency in this solicitation or contract shall be resolved by giving precedence in the following order: (a) the Schedule (excluding the specifications); (b) representations and other instructions; (c) contract clauses; (d) other documents, exhibits, and attachments; and (e) the specifications.

NOTE: The Order of Precedence within the specifications (paragraph (e) above) is: (1) Detailed specifications (including gage designs) for item(s) being procured; (2) Detailed specifications for material or operations; (3) General Specifications for class or items, and (4) General Specifications for class of materials.

(End of Clause)

(IF7003)

29 52.252-6 AUTHORIZED DEVIATIONS IN CLAUSES APR/1984

(a) The use in this solicitation or contract of any Federal Acquisition Regulation (48 CFR Chapter 1) clause with an authorized deviation is indicated by the addition of ''(DEVIATION)'' after the date of the clause.

(b) The use in this solicitation or contract of any DOD FAR SUPPLEMENT (48 CFR Chapter 2) clause with an authorized deviation is indicated by the addition of ''(DEVIATION)'' after the name of the regulation.

(End of clause)

(IF7016)

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 14 of 14
	PIIN/SIIN DAAE20-02-P-0393	MOD/AMD	
Name of Offeror or Contractor: SEILER INSTRUMENT AND MFG CO INC			

LIST OF ATTACHMENTS

List of Addenda	Title	Date	Number of Pages	Transmitted By
Attachment 001	SCOPE OF WORK		002	
Attachment 002	CONTRACTOR'S QUOTE 32558	08-APR-2002	001	
Attachment 003	EMAIL	31-MAY-2002	001	